



产品目录

PRODUCT RECOMMENDATION


手机受话器系列/Dynamic Receiver




XXY1005-001



XXY1107-001




XXY1206-001





XXY1506-001




手机受话器系列/Dynamic Receiver

产品目录


PRODUCT RECOMMENDATION



XXY1511-001





XXY10-001






XXY10-002




XXY1106-002




产品目录
PRODUCT RECOMMENDATION

手机受话器系列/Dynamic Receiver





XXY1506-002







XXY1206-002

Input Power(W)	5mW MAX:10mW
Impedance	32±15%Ω
SPL at 1KHz	109±3dB (100mV)





XXY1506-003

Input Power(W)	5mW MAX:10mW
Impedance	32±15%Ω
SPL at 1KHz	110±3dB (179mV)



XXY1506-004

Input Power(W)	10mW MAX:30mW
Impedance	32±15%Ω
SPL at 1KHz	115±3dB (179mV)



手机受话器系列/Dynamic Receiver

产品目录


PRODUCT RECOMMENDATION







Specifications For Speaker

专业打造优质品质




XXY1107-002

Input Power(W)	10mW MAX:30mW
Impedance	32±15%Ω
SPL at 1KHz	107±3dB (179mV)





XXY10-002

Input Power(W)	5mW MAX:10mW
Impedance	32±15%Ω
SPL at 1KHz	110±3dB (100mV)





XXY10-003

Input Power(W)	30mW MAX:100mW
Impedance	32 ± 15%Ω
SPL at 1KHz	112 ± 3dB (179mV)



XXY08-001

Input Power(W)	5mW MAX:10mW
Impedance	32 ± 15%Ω
SPL at 1KHz	110 ± 3dB (179mV)



产品目录



PRODUCT RECOMMENDATION

喇叭系列/Dynamic Speaker





XXY1209-001

Input Power(W)	0.5W MAX:0.8W
Impedance	8±15%Ω
SPL	88±3dB





XXY1020-001

Input Power(W)	0.7W MAX:1W
Impedance	8±15%Ω
SPL	87±3dB



XXY1524-001



Input Power(W)	0.5W MAX:0.8mW
Impedance	8±15%Ω
SPL	92±3dB





XXY1524-002

Input Power(W)	5mW MAX:10mW
Impedance	32±15%Ω
SPL at 1KHz	110±3dB (100mV)



喇叭系列/Dynamic Speaker




产品目录

PRODUCT RECOMMENDATION





XXY1318-001

Input Power(W)	0.5W MAX:1W
Impedance	8±15%Ω
SPL	88±3dB



XXY1215-001



Input Power(W)	0.5W MAX:1W
Impedance	8±15%Ω
SPL	87±3dB







XXY1018-001

Input Power(W)	0.5W MAX:1W
Impedance	8±15%Ω
SPL	87±3dB



XXY2030-001

Input Power(W)	0.5W MAX:1W
Impedance	8±15%Ω
SPL	92±3dB



产品目录



PRODUCT RECOMMENDATION

喇叭系列/Dynamic Speaker



XXY1018-002



Input Power(W)	0.5W MAX:1W
Impedance	8±15%Ω
SPL	87±3dB







XXY1317-001

Input Power(W)	0.5W MAX:0.8W
Impedance	8±15%Ω
SPL	90±3dB





XXY2109-001

Input Power(W)	0.7W MAX:1.2W
Impedance	8±15%Ω
SPL	87±3dB



XXY17-001

Input Power(W)	0.5W MAX:1W
Impedance	8±15%Ω
SPL	88±3dB



喇叭系列/Dynamic Speaker

产品目录



PRODUCT RECOMMENDATION

← HW2030-001





XXY18-001

Input Power(W)	0.8W MAX:1W
Impedance	8±15%Ω
SPL	91±3dB





XXY1015-001

Input Power(W)	0.5W MAX:1W
Impedance	8±15%Ω
SPL	88±3dB



XXY13-001

Input Power(W)	0.3W MAX:0.5W
Impedance	8±15%Ω
SPL	86±3dB



XXY15-001

Input Power(W)	0.5W MAX:1W
Impedance	8±15%Ω
SPL	88±3dB

